

DuPont™ Advion®

INSECT GRANULE

Professional Products

A granular insecticide bait for use to control crickets, including mole crickets, on lawns in residential, commercial, public and institutional landscaped areas, golf courses, parks, recreational areas, and sports and/or athletic fields; cockroaches, and listed crawling nuisance or occasional invader insect pests in crawl spaces, attics, basements of buildings or structures.

<i>Active Ingredient</i>	<i>By Weight</i>
Indoxacarb*	
(S)-methyl 7-chloro-2,5-dihydro-2-[[methoxy-carbonyl][4(trifluoromethoxy)phenyl]amino]-carbonyl]indeno[1,2-e][1,3,4]oxadiazine-4a-(3H)-carboxylate	0.22%
<i>Other ingredients</i>	99.78%
TOTAL	100.0%

*Indoxacarb belongs to the oxadiazine chemical class

EPA Reg. No. 352-651

EPA Est. No. XXX-XXX

Net Contents: lbs (kg)

E.I. du Pont de Nemours and Company

1007 Market Street

Wilmington, Delaware 19898

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-441-3637 for emergency medical treatment information.

For information on the use of this product call DuPont Professional Products at 1-888-6-DUPONT (1-888-638-7668).

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION Avoid contact with skin, eyes or clothing.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

- Shoes plus socks
- Long-sleeved shirt and long pants are required when using hand-held application equipment

Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). If no such instructions for washables are available, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

USERS SHOULD: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment rinsewater. Do not apply where/when conditions could favor runoff. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas.



The miracles of science™

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Not for use on turfgrass being grown for sale or other commercial use, or for commercial seed production. For use on turfgrass intended for aesthetic purposes or climate modification and being grown in lawns, grounds, golf courses, recreational areas and athletic fields.

DuPont™ ADVION® Insect Granule must only be used in accordance with the Directions For Use on this label.

Use Restrictions

- Not for use on turfgrass that is being grown for seed or on commercial sod farms.
- Not for use in nurseries and greenhouses
- Do not allow livestock or domestic animals to consume the bait or graze in treated areas.
- Do not apply this product through any type of irrigation system.
- Do not exceed 200 total pounds of ADVION® Insect Granule (0.44 lbs active ingredient) per acre per season for broadcast applications in turfgrass.
- Do not formulate this product into other end-use products.

When to apply outdoors for cricket control:

ADVION® Insect Granule contains the active ingredient indoxacarb in a formulation that is highly attractive to house crickets, field crickets and mole cricket adults and nymphs. ADVION® Insect Granule should be applied in the spring to control adult mole crickets before they lay eggs and in the late summer and fall to control large nymphs and newly emerged adults. For best results, apply in late afternoon to areas of turfgrass that are infested with mole crickets. If the soil is not moist, then it is important to irrigate before application to bring the mole crickets to the soil surface where exposure to ADVION® Insect Granule will be maximized. For optimal effectiveness, allow grass that is wet with dew, rainfall or irrigation to dry before application. Rainfall or irrigation within 2 to 3 days after application may reduce the effectiveness of ADVION® Insect Granule.

SPECIFIC USE DIRECTIONS

OUTDOOR BROADCAST APPLICATION: ADVION® Insect Granule may be applied as a broadcast application at the rate of 50 to 200 pounds of product per acre. Calibrate and adjust equipment prior to application to ensure that the proper rate of product is uniformly applied over the treatment area. Repeat application after 7 days, if necessary.

OUTDOOR BROADCAST APPLICATION RATES

Application Sites	Pests Controlled	Pounds Product Per		
		1,000 Square Feet	Acre	Lb AI/A
Turfgrasses grown for aesthetic or recreational purposes or climatic modification in or around home lawns, residential dwellings, business and office complexes, shopping complexes, multi-family residential complexes, institutional buildings, airports, cemeteries, parks, playgrounds, schools, golf courses (tee box areas, roughs, fairways, greens, collars etc.), sports and/or athletic fields, and other similar landscape turf areas.	mole cricket adults and nymphs <i>Scapteriscus</i> spp., house crickets, field crickets, earwigs, silverfish and ants (except red imported fire ants, harvester ants, carpenter ants and pharaoh ants)	1.15 to 4.6 *	50 to 200	0.11 to 0.44
	cockroaches***	2.3 to 4.6 **	100 to 200	0.22 to 0.44

* Equivalent to 1.84 to 7.36 oz/100 sq. ft.

** Equivalent to 3.68 to 7.36 oz/100 sq. ft.

*** Minimum rate for cockroaches is 2.3 lbs/1,000 sq. ft equivalent to 3.68 oz/100 sq. ft.

PERIMETER APPLICATION: To control pests, listed in table above, apply to ground area in a band up to 10 feet wide around and adjacent to the structure.

BOUNDARY APPLICATION: To control pests, listed in table above, apply to soil areas, fencelines, ornamental gardens, pavement crevices, planter areas, vegetation areas and mulch areas.

PERIMETER APPLICATION RATES

Application Rate: Pounds Per 1,000 sq.ft.	Band Width	Pounds of ADVION® Insect Granule for Perimeter Applications							
		Linear Distance (feet) Around Structure							
		100	150	200	250	300	400	500	1,000
1.15	5 feet	0.7	1.0	1.3	1.6	1.8	2.4	3.0	5.9
1.15	10 feet	1.5	2.1	2.7	3.3	3.8	4.8	6.1	11.9
2.3	5 feet	1.3	1.9	2.5	3.1	3.6	4.8	5.9	11.7
2.3	10 feet	3.0	4.2	5.3	6.5	7.6	9.9	12.2	23.7
3.0	5 feet	1.7	2.5	3.2	4.0	4.7	6.2	7.7	15.2
3.0	10 feet	3.9	5.4	6.9	8.4	9.9	12.9	15.9	30.9
3.5	5 feet	2.0	2.9	3.8	4.6	5.5	7.3	9.0	17.8
3.5	10 feet	4.6	6.3	8.1	9.8	11.6	15.1	18.6	36.1
4.0	5 feet	2.3	3.3	4.3	5.3	6.3	8.3	10.3	20.3
4.0	10 feet	5.3	7.3	9.3	11.3	13.3	17.3	21.3	41.3
4.6	5 feet	2.7	3.8	5.0	6.1	7.3	9.6	11.9	23.4
4.6	10 feet	6.0	8.3	10.6	12.9	15.2	19.8	24.4	47.4

INDOOR APPLICATION

DuPont™ ADVION® Insect Granule may be used to control house crickets, field crickets, earwigs, silverfish and ants (except red imported fire ants, harvester ants, carpenter ants and pharaoh ants) in crawl spaces, basements and attics of residential, industrial and commercial buildings or structures. ADVION® Insect Granule will kill cockroaches that consume the bait granules when placed in crawl spaces and basements of residential, industrial and commercial buildings or structures, but this type of application alone is not intended to provide complete control of an indoor cockroach infestation.

Crawl Spaces

Target Pests: house crickets, field crickets, cockroaches, earwigs, and ants (except red imported fire ants, harvester ants, carpenter ants and pharaoh ants)

Perimeter- Apply ADVION® Insect Granule along the edge of crawl space in a band approximately 6 to 12 inches wide at rate of 2 oz bait granules per 10 linear feet. Monitor the crawlspace area treated and reapply bait granules only as needed.

Broadcast- Apply ADVION® Insect Granule as broadcast treatment at rate of 1.15 lbs granules per 1,000 sq ft. The minimum application rate for cockroaches is 2.3 lbs bait granules per 1,000 sq. ft., equivalent to 3.68 oz. per 100 sq. ft. Monitor the crawlspace area treated and reapply bait granules only as needed.

Basements

Target Pests: house crickets, field crickets, cockroaches, earwigs, and ants (except red imported fire ants, harvester ants, carpenter ants and pharaoh ants)

For unfinished basements not actively used as living area, apply bait granules along the edge of walls in a band approximately 6 to 12 inches wide at rate of 2 oz bait granules per 10 linear feet. Avoid areas accessible to children and pets. Monitor the area treated and reapply bait granules only as needed. See instructions below for use of bait stations in finished and unfinished basements.

Apply ADVION® Insect Granule in finished or unfinished basements using bait stations. Place 2 - 4 oz of bait granules in each bait station, depending on the bait station design and size. Apply ADVION® Insect Granule in basements by using commercially available bait stations designed for bait granule formulation insecticides. Place bait stations containing the granules in areas of the basement that are accessible to insect pests but not accessible to children and pets. Monitor the bait stations and replace bait granules as needed.

Do not allow ADVION® Insect Granule to contact any food or feed being stored in an unfinished or finished basement.

Attics

Target Pests: house crickets, field crickets, and silverfish

Apply ADVION® Insect Granule only to attic space not being used as living area at rate of 1.15 lbs per 1,000 sq ft as a broadcast treatment using a hand spreader. Monitor the attic area treated and reapply bait granules only as needed. ADVION® Insect Granule may also be applied in attics by using commercial bait stations designed to hold bait granule insecticide products. Place 2 - 4 oz of bait in each bait

station, depending on the bait station design and size. The number of bait stations placed in the attic space will depend on the level of the infestation. Monitor the bait stations and replace bait granules as needed.

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store product in original container only in a location inaccessible to children and domestic animals/pets. Store in a cool, dry place and avoid excessive heat.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility

Container Disposal:

Nonrefillable container. Do not reuse or refill this container. Completely empty plastic container, plastic bag or fiber sack into application equipment by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then offer for recycling, if available or dispose of plastic container, plastic bag or fiber sack in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

If the container or bag is damaged, leaking or obsolete, or in the event of a major spill, fire or other emergency, contact DuPont at 1-800-441-3637, day or night.

NOTICE TO BUYER--Purchase of this material does not confer any rights under patents of countries outside of the United States.

DuPont will not be responsible for losses or damages resulting from use of this product in any manner not specifically stated on this label or other labels or bulletins published by DuPont. User assumes all risks associated with such non-specified use.

The DuPont Oval Logo, DuPont™ and ADVION® are trademarks or registered trademarks of E. I. duPont de Nemours and Company

SL - 1282A 042809 01-22-09

**LIMITATION OF
WARRANTY AND LIABILITY**

NOTICE: Read This Limitation of Warranty and Liability Before Buying or Using This Product. If the Terms Are Not Acceptable, Return the Product at Once, Unopened, and the Purchase Price Will Be Refunded.

It is impossible to eliminate all risks associated with the use of this product. Such risks may arise from factors such as weather conditions, soil factors, off target movement, unconventional technique, presence of other materials, the manner of use or application, or other unknown factors, all of which are beyond the control of DuPont or Seller. These risks can cause: ineffectiveness of the product or other unintended consequences.

DuPont does not agree to be an insurer of these risks.
TO THE EXTENT PERMITTED BY LAW, WHEN YOU BUY OR USE THIS PRODUCT, YOU AGREE TO ACCEPT THESE RISKS

DuPont warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for the purpose stated in the Directions for Use, subject to the inherent risks described above, when used in accordance with the Directions for Use under normal conditions.

TO THE EXTENT PERMITTED BY LAW, DUPONT MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT PERMITTED BY LAW, IN NO EVENT SHALL DUPONT OR SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. TO THE EXTENT PERMITTED BY LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER AND THE EXCLUSIVE LIABILITY OF DUPONT OR SELLER, FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY OR CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHER LEGAL THEORY) RESULTING FROM THE STORAGE, USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT, OR AT THE ELECTION OF DUPONT OR SELLER, THE REPLACEMENT OF THE PRODUCT.

To the extent permitted by law that allows such requirement, DuPont or its distributor must have prompt notice of any claim so that an immediate investigation of buyer's or user's claim can be made. Buyer and all users shall promptly notify DuPont or a DuPont distributor of any claims, whether based on contract, negligence, strict liability, other tort or otherwise or be barred from any remedy.

This Limitation of Warranty and Liability may not be amended by any oral or written agreement.