




Kenya
Pyrethrum



Synergized



Food
Handling

PRESCRIPTION TREATMENT[®] brand

ULD[®] BP-50

CONTACT INSECTICIDE

Formula 1

Designed for Use in Edible Product Areas of Official Establishments Operating Under the Federal Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs and in Other Food Processing Plants.

ACTIVE INGREDIENTS:

Pyrethrins	0.5%
Piperonyl butoxide, technical*	5.0%

OTHER INGREDIENTS:

Contains Petroleum Distillate	94.5%
TOTAL: 100.0%	

* Equivalent to 4.0% (butylcarbityl) (6-propylpiperonyl) ether and 1.0% related compounds.

EPA Reg. No. 499-453
KEEP OUT OF REACH OF CHILDREN
CAUTION

PRECAUTIONARY STATEMENTS

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call 1-800-225-3320 for emergency medical treatment information.

NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling. Do not apply directly to food. Foods should be removed or covered during treatment. All food processing surfaces and equipment should be covered during treatment or washed with an effective cleaning compound followed by a potable water rinse. Do not apply while food processing is underway. In the home, all food processing surfaces, dishes and utensils should be covered during treatment, or thoroughly washed before use. Remove pets, birds, and cover fish aquariums and turn off air pump motor before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame. Note: Some furniture finishes and particularly plastics can be damaged by petroleum based insecticides. To avoid damage, cover those items and do not spray directly. If in doubt, test by applying this material to an inconspicuous area before spraying.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Dependent upon insects to be controlled and the area to be treated, this product may be applied through mechanical aerosol or ULV generators such as Whitmire Micro-Gen equipment, as well as thermal and conventional fogging or spraying equipment.

ULTRA LOW DOSAGE THROUGH MICRON GENERATION



WHITMIRE MICRO-GEN
RESEARCH LABORATORIES, INC.
800-777-8570

NOTE: This specimen label is for informational purposes only. All uses may not be approved in all states. See labeling which accompanied product for Directions for Use or call 800-777-8570 for more information.



ULD® BP-50 CONTACT INSECTICIDE

SPACE SPRAY - INDOOR: For control of accessible, exposed stages of flies, including fruit flies, mosquitoes, small flying moths, gnats, wasps, hornets, cheese skippers, and these common stored product pests: granary weevils, rice weevils, confused flour beetles, saw-toothed grain beetles, spider beetles, cigarette beetles, drugstore beetles, angoumois grain moths, mediterranean flour moths, indian meal moths, tobacco moths, meal worms, and grain mites. Close windows and doors and shut off ventilating systems. Use a fogger or vaporizer adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns). Apply at the rate of 1 ounce per 1,000 cubic feet of space. Direct the spray toward the ceiling and upper corners of the area behind obstructions. For best control of wasps and hornets, apply directly to nests in the evening when the insects have returned to nests. Keep the area closed for at least 15 minutes. Vacate the treated area and ventilate before re-occupying. Repeat treatment as necessary.

SPACE AND CONTACT SPRAY: Use full strength or dilute as desired according to dilution table and apply through equipment which can deliver a pin stream spray. For control of accessible exposed stages of silverfish, crickets, roaches, spiders, scorpions, clover mites, cheese mites, earwigs, and ants, first using equipment which can deliver a pin stream spray, direct spray in all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects are known to seek shelter. Contact as many insects as possible, spray directly all ant trails. Do not allow spray to contact stored food. Then, shutting all doors, windows, and shutting off all ventilating systems proceed with space spraying

directions as given above. Use a dosage rate of 1 ounce per 1,000 cubic feet of space or if diluted 1-2 ounces per 1,000 cubic feet. Keep the area closed for at least 15 minutes. Vacate the treated area and ventilate before re-occupying. Repeat treatment as necessary.

DILUTION: Use a white mineral oil conforming to regulation 21 CFR 121.2589(b) or an odorless light petroleum hydrocarbon conforming to 121.1182. Combine oil and BP-50 as directed below and mix well just prior to application.

Pyrethrin % Desired	Mixture Rate	Application Rate Per 1,000 Cu. Ft.
0.30	3 Part Conc. to 2 Parts Oil	1-2 oz.
0.15	3 Part Conc. to 7 Parts Oil	1-2 oz.

DEEP VOID CRACK & CREVICE® APPLICATION

To flush and kill insects harbored in deep voids and behind cracks and crevices.

SPOT APPLICATION: With equipment designed for deep void Ultra Low Volume (ULV) applications, follow the manufacturer's recommendations for proper equipment setup and operating pressures. Place the tip of the applicator at or into the crack and crevice to be treated. Apply product in short bursts while keeping tip in position. Allow the air stream to push insecticide deep into voids. Repeat application as necessary to flush insects from voids. Avoid applying to the point of runoff or drip. Ventilate thoroughly before occupants are allowed to re-enter.

LINEAR APPLICATION ALONG BASEBOARDS, TRIM MOLDING, ETC.: With equipment designed for deep void ULV application, move applicator tip along the crevice to be treated applying a constant burst of insecticide. Move the tip at a steady rate approximately one (1) foot per second. Avoid applying to the point of runoff or drip. Repeat application as necessary to flush insects from the void. Ventilate thoroughly before occupants are allowed to re-enter.

FOR USE ON ANIMALS: To protect beef and dairy cattle and horses from horn flies, house flies, mosquitoes and gnats, apply a light mist sufficient to wet the tips of the hair. To control stable flies, horse flies and deer flies on beef and dairy cattle and horses, apply 2 oz. per adult animal, sufficient to wet the hair but not to soak the hide.

IN MUSHROOM PROCESSING: In packing and canning plants, use at a rate of 1 ounce to 2,000 cubic feet of space.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

In addition to sites listed on other panel ULD BP-50 Contact Insecticide is acceptable for use in the following sites:

INDOOR:

Animal Areas & Quarters
Auditoriums
Bakeries
Beverage Plants
Boats
Bottling Plants
Brandy Storage Warehouses
Buildings
Buses
Cabins
Canneries
Cattle Barns
Churches
Closets
Condominiums
Communication Centers

Correctional Facilities
Dairy & Livestock Barns
Dried Fruit Processing Plants
Drains & Sewers
Dried Fruit Warehouses
Drugstores
Dumpsters
Dwellings
Egg Processing Plants
Factories
Flour Mills
Food Handling Establishments
Food Processing Plants
Freight Containers
Fruit Packing Shed
Garbage Cans

Garbage Compactors
Goat Houses
Grain Elevators
Grain Mills
Grain Handling Equipment
Granaries
Homes
Horse Stables/Barns
Hospices
Industrial Installations
Institutions
Jails
Laboratories
Libraries
Livestock Barns
Loafing Sheds
Locker Rooms
Mills

Mausoleums
Meat Packing Plants
Milk Rooms
Missions
Mobile Homes
Museums
Mushroom Processing Plants
Nursing Homes
Offices
Office Buildings
Passenger Rail Cars
Peanut Processing Plants
Peanut Storage Warehouses
Planes
Poultry Houses
Poultry Processing Plants
Prisons

Public Buildings
Rabbit Processing Plants
Rabbit Houses
Railroad Cars
Recreational Vehicles
Research Animal Areas
Restaurants
Restrooms
Rice Mills
Shade Houses
Ships
Shipholds
Stables
Stable Bins
Stored Food in Multi-walled Paper or Cloth Bags
Stored Seed Warehouses
Stores
Supermarkets

Swine Houses
Textile Mills & Warehouses
Theaters
Tobacco Plants
Tobacco Warehouses
Townhouses
Trains
Transportation Equipment
Trucks
Truck Trailers
Utilities
Utility Rooms
Voids (Attics, Walls, Ceilings)
Warehouses
Wineries
Wine Storage Warehouses
Zoos

ULD BP-50 Contact Insecticide is also effective against the following insects when used according to label directions:

FLYING INSECTS:

Flies
Mosquitoes
Gnats
Fruit Flies
Horse Flies
House Flies
Barn Flies
Stable Flies
Face Flies
Skipper Flies
Deer Flies
Black Flies
Horn Flies
Mushroom Flies
Fungus Gnats
Wasps
Hornets
Bees

Vinegar Flies
Yellow Jackets
Blow Flies
Bottle Flies
Cheese Skippers
WORMS:
Dark Mealworms
Yellow Mealworms
Lesser Mealworms
FLEAS AND TICKS:
Brown Dog Ticks
Sheep Ticks
Spinosa Ear Ticks
Fleas
Ticks
BEEETLES:
Black Fungus Beetles
Drugstore Beetles

Red Flour Beetles
Saw-Tooth Grain Beetles
Spider Beetles
Carpet Beetles
Ground Beetles
Flat Grain Beetles
Dried Fruit Beetles
Dermestid Beetles
Cereal Beetles
Hide Beetles
Depressed Flour Beetles
Two Banded Beetles
Fungus Beetles
Hairy Fungus Beetles
Corn Sap Beetles
Brown Spider Beetles
White Marked Spider Beetles
Hairy Spider Beetles
Trogoderma Beetles

Red Horned Grain Beetles
Khapra Beetles
Merchants Grain Beetles
Rusty Grain Beetles
Black Carpet Beetles
Squarenecked Grain Beetles
Foreign Grain Beetles
Mexican Grain Beetles
American Black Flour Beetles
Longheaded Flour Beetles
Slenderhorned Flour Beetles
Smalleyed Flour Beetles
Broadhorned Flour Beetles
Large Black Flour Beetles
CRAWLING INSECTS:
Cockroaches
Scorpions
Centipedes
Sowbugs

Millipedes
Pill Bugs
Water Bugs
Firebrats
Bedbugs
Palmetto Bugs
Chiggers
Fire Ants
Grasshoppers
SPIDERS & MITES:
Spiders
Mites
Clover Mites
Cheese Mites
Grain Mites
WEEVILS:
Rice Weevils
Granary Weevils

Bean Weevils
Maize Weevils
Coffee Bean Weevils
Broadnosed Grain Weevils
MOTHS:
Mediterranean Moths
Clothes Moths
Almond Moths
Cocoa Bean Moths
Chocolate Moths
Rice Moths
European Grain Moths
Pink Scavenger Caterpillars
GRAIN BORERS:
Lesser Grain Borers
Larger Grain Borers

A PRESCRIPTION TREATMENT® brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis, MO 63122-6682

© 2004 Whitmire Micro-Gen Research Laboratories, Inc.

NOTE: This specimen label is for informational purposes only. All uses may not be approved in all states. See labeling which accompanied product for Directions for Use or call 800-777-8570 for more information.

040322-60 (rev. 3/04)